



LASTRA

COLOR BODY PORCELAIN TILE

GRES PORCELLANATO COLORATO IN MASSA / GRÈS CÉRAME TEINTÉ DANS LA MASSE / EINGEFÄRBTES FEINSTEINZEUG
 GRES PORCELÁNICO COLOREADO EN MASA / КЕРАМОГРАНИТ ОКРАШЕННЫЙ В МАССЕ / 彩色通体瓷质砖

CONFORME / ACCORDING TO / CONFORME / KONFORM / CONFORME / СООТВЕТСТВУЕТ / 合格

UNI EN 14411 – G Bla



A B G DG



60x120 - 60x60 - 30x60 | 24"x48" - 24"x24" - 12"x24"



LAISTRA 36A 1  
30x60 - 12"x24"



LAISTRA 36A 2  
30x60 - 12"x24"






LAISTRA 36B 1  
30x60 - 12"x24"



LAISTRA 36B 2  
30x60 - 12"x24"



QUADRATO 1  
30x60 - 12"x24"



A



60x120
24"x48"



60x60
24"x24"



30x60
12"x24"



30x30
12"x12"

LAISTRA 12A

LAISTRA 60A

LAISTRA 36A

MK.LAISTRA 30A

 LAISTRA R12A

LAISTRA R36A

B



60x120
24"x48"



60x60
24"x24"



30x60
12"x24"



30x30
12"x12"

LAISTRA 12B

LAISTRA 60B



LAISTRA 36B

MK.LAISTRA 30B

 LAISTRA R12B

LAISTRA R36B



QUADRATO 2  
30x60 - 12"x24"





LASTRA 36G 1  
30x60 - 12"x24"




LASTRA 36DG 1  
30x60 - 12"x24"



LASTRA 36G 2  
30x60 - 12"x24"



LASTRA 36DG 2  
30x60 - 12"x24"



G

DG



60x120
24"x48"

LASTRA 12G



60x60
24"x24"

LASTRA 60G



30x60
12"x24"

LASTRA 36G



30x30
12"x12"

MK.LASTRA 30G



LASTRA R12G

LASTRA R36G



60x120
24"x48"

LASTRA 12DG



LASTRA R12DG



60x60
24"x24"

LASTRA 60DG



30x60
12"x24"

LASTRA 36DG

LASTRA R36DG



30x30
12"x12"

MK.LASTRA 30DG



A B G DG

9,5x60 3.7"x24"			LASTRA BT 60A	LASTRA BT 60B	LASTRA BT 60G	LASTRA BT 60DG
30x60 12"x24"			LASTRA S R60A	LASTRA S R60B	LASTRA S R60G	LASTRA S R60DG

IMBALLI

PACKAGING / EMBALLAGES / VERPACKUNGEN / EMBALAJES / УПАКОВКИ / 包装

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	SCATOLA BOX			PALLET		
			PZ/PCS	MQ/SM	KG	BOX/BOXES	MQ/SM	KG
60x120 - 24"x48"	rectified	10	2	1,44	31,46	30	43,20	963,69
60x60 - 24"x24"	rectified	10	3	1,08	24,31	32	34,56	798,00
30x60 - 12"x24"	rectified	10	5	0,90	19,90	48	43,20	975,20
30x30 - 12"x12" mosaic	rectified	10	4	0,36	7,57	72	25,92	565,26

CARATTERISTICHE TECNICHE SPECIFICHE

TECHNICAL FEATURES SPECIFICATIONS / CARACTÉRISTIQUES TECHNIQUES SPÉCIFIQUE / TECHNISCHE EIGENSCHAFTEN
CARACTERÍSTICAS TÉCNICAS ESPECÍFICAS / ТРЕБУЕМЫЕ ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ / 特殊技术规格

	DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			g.a.	g.b.	c.a.	g.b.				
LASTRA	R9	A	>0,4	>0,4	>0,4	>0,4	-	-	1	>0,42
LASTRA R	R11	A+B	>0,4	>0,4	>0,4	>0,4	>36	>35	2	>0,42